



SeaGIS Pty Ltd
ABN 31122027123
Post PO Box 1085
Bacchus Marsh VIC 3340
Australia
Email info@seagis.com.au
Web www.seagis.com.au

Pricing for popular products

Prices last modified: January 2025

Notes

- Prices are for current commonly requested software and hardware configurations. Please contact us for alternate configurations, particularly different camera models and other camera system hardware options.
- All prices are in Australian dollars (AUD), and do not include GST. 10% GST is applicable to all domestic Australian purchases. GST does not apply to export sales.
- Prices do not include freight or any international import/taxes/duties where applicable.

Software

- Student software is for a single nominated student's research use only. The software is tied to a nominated computer and expires when the student completes their study (or a maximum of 3 years). The fee paid for student software can be credited toward the purchase of academic/research or commercial software.
- Academic/research software cannot be used for commercial purposes. Academic/research software is enabled by a USB key and can be moved between computers. The software does not expire.
- Commercial use software is enabled by a USB key, can be moved between computers, and does not expire.

	Student	Academic/research	Commercial
<u>TransectMeasure</u> Single image benthic analysis, point counts, scaled length and area measurement	AUD 745	AUD 1,490	AUD 2,980
<u>EventMeasure</u> Counting/abundance, annotation, analysis, 3D stereo measurement	AUD 1,320	AUD 3,960	AUD 6,170
<u>CAL</u> Stereo camera calibration	AUD 1,363	AUD 4,090	AUD 6,380

Calibration hardware

Calibration hardware is required to calibrate stereo camera systems in combination with the CAL software.

	500 x 500 x 300mm Suitable for close camera separation/close range	1000 x 1000 x 500mm For typical fish measurement applications
<u>Calibration hardware</u> Calibration 'cube' & scale bar	AUD 3,160	AUD 3,990

Camera housings, remote and diver camera systems

- Prices do not include cameras, camera batteries or storage media.
- Housing lengths can be customised to suit battery/power pack options (typically there is no extra cost for additional housing length).
- Housings are designed to provide access to memory card, battery, charging/data ports, and camera controls/settings without the need to remove the camera from the mounting system, providing stereo calibration stability.
- Contact us for camera models and housings not listed below.

	GoPro Hero 5/6/7 Black ^{1,2} GoPro Hero 8 Black ¹ GoPro Hero 9/10/11/12/13 Black ¹ All 112mm diameter, tested to 150m
Camera housing only	AUD 885
<u>Single camera baited remote system</u> Galvanised or stainless frame w/ 4x5kg ballast, 1 x camera housing	Special order, contact us for details
<u>Stereo baited remote system</u> Galvanised frame w/ 4x5kg ballast, removable camera base bar, 2 x camera housings	AUD 4,395
<u>One-piece stereo diver</u> One-piece aluminium base bar w/ handles, 2 x camera housings	AUD 2,495
<u>Collapsible stereo diver in hard case w/ wheels</u> Collapsible aluminium base bar w/ handles, 2 x camera housings	AUD 3,470
<u>Aluminium base bar system</u> Single piece base bar w/ hose clamps, 2 x camera housings	AUD 2,360
<u>Stainless base bar system</u> Base bar w/ hose clamps, bait arm and clip, bolts, 2 x camera housings	AUD 2,485
<u>Pelagic system</u> Aluminium base bar w/ hose clamps, bait arm and clips, bolts, yolk, 2 x camera housings	AUD 2,755

GoPro camera models are specific to the housings as listed (for example: a Hero 8 Black cannot be used in a Hero 5/6/7 Black housing; or a Hero 8 Black cannot be used in a Hero 9/10/11/12/13 housing).

Limited stock is available for early model GoPro housings, Sony FDR-X3000 housings and some older Canon consumer camera models.

¹ A single control can be added for on/off and stop/start (using *QuikCapture*), add AUD285 per housing.

² We hold limited stock of components for these models, they can still be produced, but delivery times may be longer.