



**SeaGIS Pty. Ltd.**

ABN 31122027123  
Post PO Box 1085  
Bacchus Marsh VIC 3340  
Australia

Email [info@seagis.com.au](mailto:info@seagis.com.au)

Web [www.seagis.com.au](http://www.seagis.com.au)

## Pricing for popular products

March 8, 2018

### Notes

- Prices are for current commonly requested software and hardware configurations. Please contact us for alternate configurations, different camera models and other options.
- All prices are in Australian dollars (AUD), and do not include GST (10% GST is applicable to all Australian purchases).
- Prices do not include freight or any international import/taxes/duties where applicable.
- Contact us to enquire about training associated with hardware and software purchases.

## Software

- Student software is for student (research) only use. The software is tied to a nominated computer and expires when the student completes their study (maximum 3.5 years). The fee paid for student software can be credited toward the purchase of academic/research or commercial software.
- Academic/research software cannot be used for commercial purposes. Academic/research software is enabled by a USB key and can be moved between computers. The software does not expire.
- Commercial use software is enabled by a USB key, can be moved between computers, and does not expire.

	Student	Academic/research	Commercial
<b>TransectMeasure</b> Single image benthic analysis, point counts, scaled length and area measurement	AUD 505	AUD 1,010	AUD 2,020
<b>EventMeasure</b> Counting, annotation, analysis, 3D stereo measurement	AUD 1,150	AUD 3,450	AUD 5,700
<b>CAL</b> Stereo camera calibration	AUD 1,185	AUD 3,555	AUD 5,895

## Calibration hardware

Calibration hardware is required to calibrate stereo camera systems in combination with the CAL software.

	500 x 500 x 300mm Suitable for close camera separation/close range	1000 x 1000 x 500mm For typical fish measurement applications
<b>Calibration hardware</b> Calibration 'cube' & scale bar	AUD 2,380	AUD 3,275

## Camera housings, remote and diver camera systems

Prices do not include cameras, camera batteries or storage media.

Housing lengths can be customised to suit battery/power pack options.

Housings are designed to provide access to memory card, battery, charging/data ports, and camera controls/settings without the need to remove the camera from the mounting system, providing stereo calibration stability.

	<b>GoPro Hero/2/3/4</b> 112mm diameter, tested to 100m Suits Brunton All day/All day 2.0 batteries <b>GoPro Hero 5 Black*</b> <b>Sony FDR-X3000**</b>	<b>Larger 'consumer' style cameras</b> 138-158mm diameter, tested to 100m	<b>Larger 'consumer' style cameras with external control(s)</b> External on/off stop/start controls 138-158mm diameter, tested to 60m
<b>Camera housing</b> Camera housing only	AUD 695	AUD 1,110	AUD 1,460
<b>Single camera baited remote system</b> Galvanised frame w/ 4x5kg ballast, 1 x housing	AUD 1,665	AUD 2,080	AUD 2,430
<b>Stereo baited remote system</b> Galvanised or stainless frame w/ 4x5kg ballast, removable camera base bar, 2 x housings	AUD 2,670 AUD 3,270 (w/ diode)	AUD 3,500 AUD 4,100 (w/ diode)	AUD 4,200 AUD 4,800 (w/ diode)
<b>One-piece stereo diver</b> One-piece aluminium base bar w/ handles, 2 x camera housings	AUD 2,000	AUD 2,956 AUD 3,756 (w/ diode)	AUD 3,656 AUD 4,456 (w/ diode)
<b>Collapsible stereo diver</b> Collapsible aluminium base bar w/ handles, 2 x camera housings	AUD 2,300	AUD 3,356 AUD 4,156 (w/ diode)	AUD 4,056 AUD 4,856 (w/ diode)
<b>Collapsible stereo diver in hard case w/ wheels</b> Collapsible aluminium base bar w/ handles, 2 x camera housings	AUD 2,760	AUD 4,176 AUD 4,976 (w/ diode)	AUD 4,876 AUD 5,676 (w/ diode)

\* Housings for GoPro Hero 2/3/4 cannot be used with the Hero 5 Black and vice versa.

A single control can be added to the Hero 5 Black housing for on/off and stop/start (using *QuikCapture*), add AUD260 per housing.

\*\* A single control can be added for on/off and stop/start (using *One touch recording*), add AUD245 per housing.